

World Class Industries

375 E. Prairie St. Crystal Lake, IL 60014 Phone: 888-SMARTBOX (opt. 1) 888-762-7826 (opt. 1)

Fax: 815-479-9975

SMARTBOX® MOUNTING BRACKET INSTALLATION INSTRUCTIONS CASE IHTM PLANTERS - REAR MOUNT

Bracket Part No. SB011252 – for use with all Case IHTM 1200 series planters

Always use and follow planter manufacturers owner's manual recommended safety guidelines.

Prior to installation, unfold planter and leave the planter row units in the raised position.

See the attached Drawing No. SB011252 and the AMVAC SmartBox System Parts and Operator's Manual for additional installation information.



A. The bracket will mount to the row unit's side panels using the existing holes.




B. Slide the bracket over the side panels of the row unit and align the holes.

NOTE: Generally, the bracket should be positioned as far forward and high as possible so that the hose connecting the SmartBox® meter to the infurrow drop tube will be as vertical as possible for the best insecticide flow.



C. Fasten both sides of bracket using the four (4) bolts, washers and locknuts (*item no. 2, 3 and 4*) provided.



Refer to the AMVAC SmartBox System Parts and Operator's Manual regarding the installation of the remainder of the system. A video of the bracket installation process can be found at www.amvacsmartbox.com, then going to "About SmartBox", select "Videos", and then clicking on "Bracket Installation: Case IH".

Page **2** of **3** WF-2013-06 Rev 2 12/23/2013

