



Same great control at half the rate

With Abba ULTRA® miticide/insecticide from AMVAC, **grape** growers have an innovative tool in the fight against a wide spectrum of damaging mites, including the two-spotted spider mite, Pacific spider mite and Willamette spider mite.

Abba ULTRA is created with the most advanced formulation technology, providing exceptional efficacy while meeting clean air standards. With twice the concentration of abamectin than other formulations, rate conversion is easy.

ABBA ULTRA QUICK FACTS:

Active Ingredient: Abamectin 3.74%
 Activity: Translaminar movement for extended residual control
 Mode of Action: Chloride Channel Activators
 Group Insecticide Number: 6
 Signal Word: Warning
 Formulation: Emulsifiable Concentrate
 Restricted Use: Yes
 Packaging Info: 4x1 gal. case; 36 cases/144 gals. = pallet

Simply use half of the standard .15 abamectin rate. This innovative change with Abba ULTRA means half the storage, half the transportation and half the container disposal – saving users time and money without sacrificing performance.

An excellent foundational tool in a miticide spray program with rotation partners, Abba ULTRA provides proven performance at the right price.

PEST	USE RATE	APPLICATION GUIDELINE
Two-spotted spider mite Pacific spider mite Willamette spider mite	Use 4 fl. oz./A plus nonionic surfactant**	Apply when mites initially appear, but before the number of motiles exceeds 5 per leaf. For low to moderate infestations, use 4 fl. oz./A; for severe infestations, use 8 fl. oz./A.
Western grapeleaf skeletonizer		For contact knockdown control of these pests, apply when pest first appears. For low to moderate infestations, use 4 fl. oz./A; for severe infestations, use 8 fl. oz./A.
Western grape leafhopper* Varigated leafhopper*		For contact knockdown control of these pests, apply when pest first appears. For low to moderate infestations, use 4 fl. oz./A; for severe infestations, use 8 fl. oz./A.

* Abba ULTRA only provides contact knock-down control of this pest.

** Abba ULTRA must be applied with non-ionic surfactant to spread out spray deposits and improve wetting of foliage.

USE RESTRICTIONS:

Do not apply aerially.

Do not apply in less than 50 gal. of water per acre except when using an electrostatic sprayer; do not use less than 5 gal. of water per acre with this type of spray equipment.

Do not reapply within 21 days of first application.

Do not apply more than 8 fl. oz./A of Abba ULTRA or any other foliarly applied abamectin product per application.

Do not apply more than 16 fl. oz./A of Abba ULTRA or any other foliarly applied abamectin product per cropping season.

Do not exceed two applications of Abba ULTRA or any other foliarly applied abamectin product per cropping season.

Do not apply within 28 days of harvest.

Do not allow livestock to graze in treated vineyards.

For more information about Abba ULTRA and the entire AMVAC portfolio, please contact your retailer or PCA, visit us online at amvac-chemical.com or call 1-888-GO-AMVAC.

Please consult the full label for crop- and pest-specific recommendations, and follow all label recommendations.