

DEPENDABLE, CONSISTENT & FAST CONTROL OF YOUR KEY PESTS IN COTTON

Bidrin[®] 8 insecticide provides control of labeled piercing-sucking pests, including plant bugs, cotton fleahoppers and stinkbugs while suppressing aphids and spidermites. By reducing damage to cotton bolls, it helps protect yields and HVI fiber quality.

Key Benefits

- Fast activity for quick knockdown
- Locally systemic activity for 3 –5 days
- Alternative mode of action to neonic insecticides and great rotational partner in IRM programs
- Excellent tank-mix flexibility
- Suppresses aphids and does not flare spider mites

Key Timings & Pests


- **Early Season Use** (*Emergence to Pre- Bloom*) – thrips*, cotton fleahoppers, and suppression of aphids and spider mites. **Rate = 3.2 fl. oz.**
- **Late Season Use** (*First bloom to 30 days prior to harvest*) – cotton fleahoppers, plant bugs, stink bugs, and suppression of aphids and spider mites. **Rate = 6-8 fl. oz**
- **NEW 2(ee) use for the cotton jassid or two-spotted cotton fleahopper.** Rate = 6-8 fl. oz**

*Will not control OP-Resistant populations of thrips

** In the following states: Alabama, Arkansas, Arizona, Florida, Georgia, Kansas, Louisiana, Mississippi, Missouri, New Mexico, North Carolina, Oklahoma, South Carolina, Tennessee, Texas and Virginia,

Key tank-mix partners

- **Diamond[®] Insecticide** – great to tank mix when nymph plant bug populations are building
- **Abamectin 0.15 EC Miticide Insecticide** – good addition when sub-threshold spider mite populations are building
- **Bifenthrin Insecticide** –excellent tank-mix partner when applying late, termination sprays in cotton






Efficacy of Bidrin in Cotton – Fleahoppers

Consultant Demonstration Program Results

Reduction in Fleahoppers (%) Following Treatment




*Comparison treatments were centric or acephate

Efficacy of Bidrin in Cotton – Stink Bugs

Consultant Demonstration Program Results

Reduction in Damage or Stink Bugs (%) Following Treatment




*Comparison treatments were acephate or bifenthrin

Efficacy of Bidrin in Cotton – Tarnished Plant Bug

Consultant Demonstration Program Results

Reduction in Tarnished Plant Bugs - adults and nymphs (%)



*Comparison treatments included Diamond, bifenthrin, acephate, and Transform

See our entire line of products at AMVAC.com

Bidrin 8 Insecticide
IRAC Group 1B

