



INTRODUCING

EQUUS[®] 720 SST Fungicide

Disease control for peanuts now available from AMVAC

Peanut growers fighting early leaf spot (*Cercospora*) and leaf spot (*Cercosporidium*) have a powerful tool from AMVAC in EQUUS[®] 720 SST Fungicide. A cornerstone of disease management programs in peanuts, EQUUS provides excellent activity on these diseases and can be applied alone or in a tank mix with other registered fungicides.

With excellent crop safety and multi-site modes of action, peanut growers can count on EQUUS as the foundation of their disease management program.

EQUUS QUICK FACTS:

Active Ingredient: Chlorothalonil
 Fungicide Group: M5 with low potential for resistance development
 Signal Word: Warning
 Formulation: Flowable
 Registered Crops: Almonds, tree fruit, peanuts, potatoes, tomatoes and others
 Packaging: 6 lb./gallon

PEST	USE RATE	SEASONAL LIMITS	APPLICATION GUIDELINES
Early leaf spot (<i>Cercospora</i>) Late leaf spot (<i>Cercosporidium</i>) Pepper spot	1 – 1.5 pints per acre	12 pints per acre, per year	Use in sufficient water for coverage when leaf wetness first occurs or 30 to 40 days after planting, using ground, air or chemigation. Repeat at 14-day intervals, but do not apply at less than 14-day intervals. When conditions favor late leaf spot or when rust or web blotch occur, apply 1.5 pints per acre at 14-day intervals for the remainder of the season. Alternate chemigation applications with ground or aerial applications. Use 1.5 pints if applying by chemigation. Do not apply within 14 days of harvest. Do not allow livestock to graze in treated areas. Do not feed hay or threshings from treated fields to livestock.
Rust Web blotch	1.5 pints per acre		

For more information about EQUUS and the entire AMVAC peanut portfolio, please contact your retailer or visit us online at amvac-chemical.com or call 1-888-GO-AMVAC.

Please consult the full label for crop- and pest-specific recommendations, and follow all label recommendations.