

PREEMERGENCE AND POSTEMERGENCE CONTROL OF KEY BROADLEAF WEEDS IN SOYBEAN

Product Advantages

- Provides effective, flexible and economical preemergence and postemergence control of troublesome broadleaf weeds.
- Can be tank-mixed or applied sequentially with other postemergence soybean herbicides to broaden weed control spectrum.
- Offers freedom of rotation to most major crops and may be applied preplant incorporated, preplant surface, preemergence or postemergence.

Application Information

- **Preplant/preemergence:** Apply up to two weeks prior to planting or preemergence for additional burndown and residual control.
Rate: 0.3 to 0.6 oz/A (recommended rate of 0.5 when tank-mixed with other herbicides).
- **Postemergence:** Tank-mix with other postemergence herbicides to broaden control spectrum.
FirstRate® Herbicide may be applied any time prior to the R2 (full flower) growth stage of soybeans.
Rate: 0.3 to 0.6 oz/A (recommended rate of 0.4 oz)

Application Instructions

- 15 gal/A
- NIS @ .25% V/V or COC/MSO @ 1.2% V/V
- UAN @ 2.5% V/V or AMS @ 2lb/A
- Rainfast in 2 hours

Control Target Weeds



Lambsquarters



Marestail



Dayflower



Common Ragweed



Giant Ragweed



Morningglory

Webster, USDA, Bugwood.org

Weed Spectrum

(See label for specific use information)

Burcucumber ^{2,3}	Sicklepod ²
Cocklebur, Common	Smartweed, Pennsylvania
Copperleaf, Hophornbeam ^{2,3}	Sunflower
Jimsonweed	Thistle, Canada ^{2,3}
Mallow, Venice	Velvetleaf
Marshelder ²	Yellow Nutsedge ^{2,3}
Mustard, Wild ²	

Weeds without footnotes 1 and 2 are controlled with both residual and postemergence applications.

¹Residual activity only ²Postemergence only ³Suppression

Crop Rotation Interval*

Wheat	4 Months
Alfalfa, Corn, Cotton, Sorghum, Rice, Dry Beans, Oats, Peanuts	9 Months
Barley	12 Months
Potatoes, Sweet Corn	18 Months
Sugar Beets, Sunflowers	30 Months and Bioassay

*Refer to the **FirstRate®** label for additional crop rotation interval restrictions.

See our entire line of products at AMVAC.com

FirstRate Herbicide
HRAC Group 2