



PREMION | Active Ingredients: Pentachloronitrobenzene (PCNB) 37.82%, Tebuconazole 2.50%

Beat Anthracnose, Dollar Spot, and More Turfgrass Diseases

PREMION® FUNGICIDE is powered by PCNB, a multi-site contact fungicide and the only FRAC Group 14 fungicide registered for turfgrass use. It also contains tebuconazole, a proven FRAC Group 3 DMI fungicide, giving PREMION dual modes of action, as well as contact and systemic activity. The unique mode of action from PCNB gives PREMION unsurpassed anthracnose control and makes it a very valuable and effective fungicide resistance management tool.

FEATURING

- Dual modes of action
- ✓ FRAC Group 14 and 3 fungicides
- Contact and systemic activity

SCAN **LEARN MORE**



Application Sites

· Golf course greens, tees, and fairways

Effective Against (see back for details): Anthracnose, brown patch, brown ring patch,

dollar spot, fairy ring, gray snow mold, large patch, Microdochium patch, pink snow mold, summer patch, take-all patch, and other labeled diseases



ITEM NO.	UNIT SIZE	CASE SIZE
13739	2.5 gal. jug	2 x 2.5 gal. jug

EPA Reg. No. 5481-585



Contact your authorized AMGUARD Environmental Technologies distributor or visit amvac.com/products/premion







PREMION | Active Ingredients: Pentachloronitrobenzene (PCNB) 37.82%, Tebuconazole 2.50%

The Application Rates Listed in the Following Table

will provide excellent control of the respective diseases under typical conditions.

See label for application information.



APPLICATION SITE	DISEASE	APPLICATION RATE
	Anthracnose (Colletotrichum cereale)	4 to 8 fl. oz. per 1,000 sq. ft.
	Brown Patch (Rhizoctonia solani)	6 to 8 fl. oz. per 1,000 sq. ft.
	Brown Ring Patch (Waitea circanata var. circinata)	6 to 8 fl. oz. per 1,000 sq. ft.
	Dollar Spot (Clarireedia spp.)	6 to 8 fl. oz. per 1,000 sq. ft.
	Fairy Ring (caused by basidiomycete fungi)	6 to 8 fl. oz. per 1,000 sq. ft.
Golf Course Greens, Tees, and Fairways	Gray Snow Mold (<i>Typhula</i> spp.)	8 to 12 fl. oz. per 1,000 sq. ft.
	Large Patch/Zoysia Patch (Rhizoctonia solani)	6 to 8 fl. oz. per 1,000 sq. ft.
	Microdochium Patch (Microdochium nivale)	8 to 12 fl. oz. per 1,000 sq. ft.
	Pink Snow Mold (Microdochium nivale)	8 to 12 fl. oz. per 1,000 sq. ft.
	Summer Patch (Magnaporthe poae)	6 to 8 fl. oz. per 1,000 sq. ft.
	Take-all Patch (Gaeumannomyces graminis var. avenae)	6 to 8 fl. oz. per 1,000 sq. ft.

